



Hunting.

Product Overview 8.2019.





All who appreciate hunting and nature ...

... will be delighted by Leica Sport Optics. For over 100 years, we've helped to create awareness and bring people closer to the wonders of nature: with innovative binoculars, spotting scopes, riflescopes and rangefinders. Each specifically designed to guarantee an unforgettable adventure.

The employees here at Leica Sport Optics – themselves passionate hunters, marksmen and nature lovers – are our most demanding critics. They regularly put our products to the test, examining every detail in practice. How stress resistant and precise are the products under rough, real world conditions? How do they respond to the inevitable impacts and shocks? When is the composition of light, contrast, and color fidelity perfectly balanced, creating breathtaking and authentic visual experiences?


Immerse yourself in the diverse, exciting world of a Leica hunt. Take time to explore our products. Every one of them is a reflection of our commitment to reliability on the hunt – no matter how tough the challenge.

Leica Sport Optics

Contents.




Page 4–5
History, service
and quality




Page 6–7
Product overview



Page 8–29
Riflescopes



Page 30–31
Accessories for
riflescopes



Page 32–47
Rangefinders



Page 48–57
Binoculars and
spotting scopes



Page 58–59
Cameras and
adapters



Page 60–65
Accessories for rangefinders,
binoculars and spotting scopes



Page 66–83
Technical data



Page 84–93
Product overview

Our quest

for the perfect visual experience leads to ...

... expertly balanced images, down to the finest detail. We achieve this by doing more than boosting the amount of light transmitted through the lens to the eye. All Leica products offer what we consider to be the perfect combination of high light transmission, exceptional color fidelity and ideal contrasts – thanks to optimized stray light suppression – along with intuitive operation and a long service life.

Your advantages are crystal clear. If, during twilight, you can discern details in the undergrowth that nobody else can see; if you can recognize the finest structures despite massive backlighting when the sun is low; if you can identify a bird's precise species by detecting subtle mottling in its plumage – then you know: you are using a Leica.

Our products are the result of over 100 years of knowledge and experience in developing and manufacturing optical systems for cameras, sport optics and microscopy. Our optics designers continuously develop their software for minimizing reflections and stray light, enabling increasingly complex simulations. And because our developers are also users, improvements can be tested and implemented directly. Shaped by practical experience, our ergonomic, timeless product design features rugged, precise and extremely reliable mechanics made from the highest-quality materials, such as magnesium or titanium.

Everything we create shares the same goal:

offering you the perfect visual experience for many years to come!

For us

quality is a process...

... that we're always questioning and refining. Every day, we work to continually improve this quality to ensure our customer's lifelong enjoyment of each of our optical products.

Our employees

Motivated, dedicated employees are our most important asset. They're the basis for our success. They make Leica what it is: a cooperative partnership that understands the importance of character.

Our products

For over 100 years, Leica has been synonymous with outstanding quality in optics and engineering. Our technicians give priority to maximum mechanical precision and minimum margin for variation. And our experienced engineers subject each handmade component to strict quality control, accepting only the very best.

Our service

Lifetime value also plays an important role in our service: we expect that our customers enjoy every Leica product they own for many years. So we assign a dedicated service specialist to each customer, ensuring competent service and a personalized response to his or her needs and wishes.



At a glance.

Our riflescopes, rangefinders, binoculars and spotting scopes.

Riflescopes



LEICA MAGNUS 1-6.3x24 i
Page 10



LEICA MAGNUS 1.5-10x42 i
Page 11



LEICA MAGNUS 1.8-12x50 i
Page 12



LEICA MAGNUS 2.4-16x56 i
Page 13



LEICA FORTIS 6 1-6x24 i
Page 22



LEICA FORTIS 6 2-12x50 i
Page 23



LEICA FORTIS 6 2.5-15x56 i
Page 24



LEICA ER 6.5-26x56 LRS
Page 26



LEICA TEMPUS ASPH. 2.0/3.5
Page 28

MAGNUS i

FORTIS 6

ER LRS

TEMPUS ASPH.

Rangefinders



LEICA GEOVID
8x42 HD-B 3000
Page 36



LEICA GEOVID
10x42 HD-B 3000
Page 36



LEICA GEOVID
8x56 HD-B 3000
Page 36

GEOVID HD-B 3000



LEICA GEOVID
8x42 HD-R 2700
Page 38



LEICA GEOVID
10x42 HD-R 2700
Page 38



LEICA GEOVID
8x56 HD-R 2700
Page 38

GEOVID HD-R 2700



LEICA GEOVID
8/10x42 R
Page 40



LEICA GEOVID
8x56 R
Page 40



LEICA GEOVID
15x56 R
Page 40

GEOVID R



LEICA RANGEMASTER
CRF 2800.COM
Page 42



LEICA RANGEMASTER
CRF 2700-B
Page 46



LEICA RANGEMASTER
CRF 2400-R
Page 47

RANGEMASTER

Binoculars and Spotting Scopes



LEICA
NOCTIVID
Page 50



LEICA
ULTRAVID HD-PLUS
Page 52



LEICA
TRINOVID HD
Page 53



LEICA
DUOVID
Page 54



LEICA MONOVID
Page 55



LEICA APO-TELEVID
Page 56



Riflescopes.

NEW!

Early in 1950 ...

... the first Leica riflescopes appeared on the world stage. They immediately stood out from the competition, boasting a unique Leica feature: true internal focusing. In 2009, Leica wrote the next chapter in riflescope history, launching the innovative ER series. Two years later, the Magnus premium line was introduced – and proved exceptionally popular. Three illuminated models that shine under the most challenging conditions thanks to their great field of view, their extraordinary image performance and their high zoom factor.

In 2013, the ER riflescope line is re-engineered. The ER i family offered twilight-ready lighting with an intelligent automatic power-off function, rail mounting, and, for the first time, a 50 mm model. Additionally, the innovative rapid reticle adjustment Bullet Drop Compensator (BDC) is compatible with all Leica riflescopes.

In 2015, the Leica riflescope lines were expanded further, adding the ER 6.5–26x56 LRS for long distances and the Magnus 1.8–12x50 for all-round hunting use. In 2017 Leica introduces the newest generation of riflescopes with illuminated reticles in the Magnus i and Visus i LW models.

In 2018, Leica launches the Tempus ASPH, an extremely precise and flexible red dot sight. And in 2019, with their Fortis 6 models, Leica offers perfect 6x zoom factor riflescopes of premium quality.



**Ferdinand Mogwitz,
Product Manager Riflescopes**

"The widest fields of view, the largest exit pupils and premium mechanics – that is what our riflescopes stand for."



Magnus 1–6.3 x 24 i.




Astounding 44 m field of view for the crucial overview when hunting.

Utterly reliable, exceptionally flexible.

Seeing more, when it counts: This high-end riflescope is a masterpiece in every respect. The Magnus 1–6.3 x 24 i offers an enormously practical field of view of 44 meters, helping ensuring maximum safety and success in every situation. A generous exit pupil, enormous view of the target and its surroundings and a crisp-sharp and brilliant illuminated dot guarantee fast target identification and absolute accuracy, particularly when hunting running game.

This riflescope boasts a zoom factor of 1 to 6.3 and an intelligent on/off feature that is specially designed for the demands of the driven hunt. These attributes, combined with its remarkably compact construction, make the Magnus 1–6.3 x 24 i an exceptionally reliable and flexible companion.



The benefits at a glance

- outstanding 144 feet/44 m field of view for better overview
- large exit pupil ensures extremely fast target acquisition
- up to 6.3 x zoom for maximum hunting safety and flexibility
- extraordinary contrast for confident targeting
- sharply defined illuminated dot

Magnus 1.5–10 x 42 i.



A universal riflescope, thanks to its generous 7x zoom range and 42 mm front lenses.

Versatile and compact.

Thanks to an almost 7x zoom, the Magnus 1.5–10 x 42 i offers the versatility to meet every field sportsman's needs. This riflescope is the universal all-rounder for stalking, shooting from stands, or on driven hunts, close in or at long distances – and guarantees maximum versatility and superior accuracy in every situation.

In combination with the large front-lens diameter, the universal magnification range makes Magnus 1.5–10 x 42 i a perfect companion on every hunt. With its outstanding zoom range, superior low-light performance, and excellent light transmission, this rugged and enduring riflescope impresses in every hunting situation. The precise reticle dot and the finely calibrated, adjustable brightness ensure that you can focus clearly on your target, at a comfortable light level.



The benefits at a glance

- universal 1.5–10 magnification range: ideal for hunting from high seats, stalking, and driven hunts
- compact design, flexible use
- maximum ergonomics and intuitive handling – even with gloves
- fine, situation-oriented reticle with bright illuminated dot

Magnus 1.8–12x50i.



A universal riflescope for prolonged use, thanks to its generous zoom range and 50 mm front lenses.

Adaptable and ready for action.

Thanks to its compact dimensions, generous field of view and large 50 mm objective lens, the Magnus 1.8–12x50i is the ideal riflescope for use in stalking or shooting from blinds. And it earns points on driven hunts thanks to its outstanding zoom factor and minimum magnification of 1.8.

The Magnus 1.8–12x50i unites benefits such as compact length, flexible range of use and excellent mountability with top-of-the-line optical advantages. The extremely low vignetting in combination with the large, effective lens diameter offers excellent light collecting ability. The high light transmission of up to 92% and the high-contrast image improve detail recognition – from dawn till dusk.



The benefits at a glance

- bright, high-contrast image, even in low light – thanks to 50 mm lens and excellent light transmission
- universal magnification from 1.8 to 12x, flexible use for hunting from high seats, stalking, and driven hunts
- exceptional field of view
- generous zoom factor up to 6.7x
- short, compact length

Magnus 2.4–16x56i.



Unbeatable by day, during twilight and over long distances.

Bright and powerful.

The more you see, the more accurate your shot will be. The large lens diameter of the Magnus 2.4–16x56i, the efficient entry pupil at mid-range magnifications, and a high light transmission of 92% ensure optimum performance from early morning light well into twilight.

The advantages: The scope's extremely high light transmission, in combination with the superior Leica shutter system, provides more light even under the most adverse conditions, especially at lower magnification factors. Stray light and vignetting effects are significantly reduced and the contrast increased to the edges. In conjunction with the high magnification, it guarantees a sure performance from the shortest distances up to the precise long-range shot.



The benefits at a glance

- greater light yield than other premium riflescopes at low magnification factors
- excellent transmission and extraordinary contrast for confident targeting
- panoramic field of view and generous zoom up to 6.7x
- clearly defined, illuminated dot
- selectable day/night illumination with 60-step setting range

Magnus i series.

Unbeatable by day, by dusk and at long distances.

Tack-sharp, high-contrast viewing images are no accident. The Magnus i riflescope series offers the right solution for all hunting types from driven hunting to long-distance shots. Along with premium materials and exceptionally robust design, the Magnus i riflescopes stand out for their exceptional light transmission of around 92%. They also boast a large effective exit pupil for excellent light intensity and maximum contrast – thanks to the Leica baffle system.



LEICA MAGNUS 1–6.3 x24 i



LEICA MAGNUS 1.5–10 x42 i



LEICA MAGNUS 1.8–12 x50 i



LEICA MAGNUS 2.4–16 x56 i



Udo Mayer, Head of Development

“My goal as a hunter as well as the head of development of a business rich in tradition as Leica is perfection in every detail. After more than twenty years of experience developing the field I can assert: The Magnus is the best and most reliable riflescope to be developed under my leadership.”

Rapid Reticle Adjustment BDC.

In combination with the innovative rapid reticle adjustment BDC, the Magnus 2.4–16 x56 i proves its class at long-distance shots. The result: safe shots at all times and prolonged hunting light.



Detailed view BDC, rail
(BDC = Bullet Drop Compensator/
Leica Rapid Reticle Adjustment)

Leica Rapid Reticle Adjustment BDC (Bullet Drop Compensator)

All Leica riflescopes of at least to 42mm lens diameter are available with Leica’s rapid reticle adjustment. It is the ideal solution for enabling simple, precise targeting while compensating for elevation corrections over long distances.

Direct Dial Rings

The Leica BDC riflescopes come with direct dial rings to operate even more quickly and intuitively. With 12 different rings to choose from (EU 1–EU 12), simply pick the one best fitting your calibre and load and start selecting the precise shooting distance (e.g. 260 yards). It’s as easy as that.



LEICA BDC Direct Dial Ring EU 2

For example:


- Caliber .270 Win.
- Bullet RWS
- EVO green, 96 grain



LEICA BDC Direct Dial Ring EU 12

For example:

- Caliber 9,3 x 62
- Bullet Norma Oryx
- 325 grain




Always depending on individual muzzle velocity or actual bullet drop.

Further informations at your Leica dealer or on the web
www.leica-sportoptics.com

Magnus i reticles.


Crisp and brilliant.

Thanks to Leica’s innovative projection technology, the illuminated dot in all Magnus i reticles is extremely sharp and brilliant – free of any distracting excess illumination. Superfluous light from the objective lens is also effectively suppressed. The sensitive brightness control lets you choose how dim or bright you wish the illumination to be. So you always have an overview – all the important details at a glance, even in adverse conditions.




Leica reticle
L-4a

Crosshair thickness:
0.2 in / 0.5 cm
Distance between posts: 55 in / 140 cm
Dot diameter:
0.9 in / 2.4 cm (24 i)
0.6 in / 1.5 cm (42 i / 50 i / 56 i)
Application:
universal reticle for precision shooting



Leica reticle
L-3D

Crosshair thickness:
0.31 in / 0.8 cm
Distance between posts: 110.2 in / 280 cm
Dot diameter:
0.9 in / 2.4 cm (24 i)
Application:
specialized for shots “on the fly” at moving targets



Leica reticle
L-Ballistic

Crosshair thickness:
0.2 in / 0.5 cm
Distance between posts: 39.4 in / 100 cm
Distance between vertical guidelines:
3.9 in / 10 cm
Dot diameter:
0.6 in / 1.5 cm (50 i / 56 i)
Application:
for precise shots at long distances



Leica reticle
CDi

Crosshair thickness:
0.31 in / 0.8 cm
Distance between posts: 12.6 in / 32 cm
Dot diameter:
0.9 in / 2.4 cm
Application:
a state-of-the-art reticle for driven hunts, with dot

All Leica reticle designs have been developed and tested by field sportsmen and all are located in the second focal plane. Your advantage: The illuminated dot and the auxiliary markings remain constant when the magnification is changed and thus do not cover the body of the game.

Readings at 10x magnification at 100 m. All coverage dimensions for Leica Magnus i reticles can be found at the Leica Homepage: www.leica-sportoptics.com



Magnus i reticles.

Riflescope	Magnus 1–6.3 x 24 i	Magnus 1.5–10 x 42 i	Magnus 1.8–12 x 50 i	Magnus 2.4–16 x 56 i
L-4a	yes	yes	yes	yes
L-3D	yes	-	-	-
L-Ballistic	-	-	yes	yes
CDi	yes	-	-	-

Leica riflescopes.

Always the better choice.

Leica riflescopes stand for passionate hunting and perfect technology. With the Magnusi and Fortis 6 riflescope series, we have developed target optics that offer the hunter detailed visual experiences – and enable a safe, ethically-placed shot.

Leica always puts the needs of hunters first. Innovations never serve their own purpose but are always the result of many discussions and intensive practical exchange. In the categories of 6x and 7x zooms, Leica riflescopes are setting a new standard. Intuitively operable, systems of lasting value support ethical hunting thanks to sharp image contrasts, natural resolution and unparalleled fields of view. The Leica riflescopes have always combined the best optical performance with state-of-the-art technology. Highest quality that makes the difference and stands the test every day – in every hunting situation, for a lifetime.




Experience performance

that exceeds the highest expectations.


Enlarged exit pupil L-EP (Large Exit Pupil).

The extra large exit pupil of the Leica riflescopes offers the advantage that the eye of the hunter gets a larger movement range, so that hunters can identify their target fast and intuitively. A clear image to the edge facilitates immediate viewing. Thanks to the exclusive eyepiece design of the Leica riflescopes, the exit pupil is 50% larger than in other riflescopes of its class at 1x magnification.




Seeing more with the W-FOW (Wide Field of View).

The wide-angle field of view of the Leica riflescopes offers hunters the greatest possible overview for a safe and ethical shot. It gives hunters more safety, especially at narrow forest aisles and in difficult terrain. Thanks to the unique Leica optical design with a special Barlow lens, the Leica riflescopes of the Fortis 6 and Magnusi range offer an unparalleled 44 m field of view at 1x magnification (at 100 m).



Absolute precision thanks to H-PM (High Performance Mechanics).

As the Leica product design puts emphasis on special durability, the Leica riflescopes are robust companions for every type of hunting. In the development as well as the manufacturing process Leica refrains from using plastic material for any stressed components. In many tests of the international environmental assessment standard DIN ISO 9022 for optical devices, Leica therefore even exceeds the particularly strict demands for professional use – for longer product durability.





Fortis 6

Zoom 6 at its best.

+

+



NEW!

The perfect combination of performance and design.

+

+

The new standard in the 6x zoom class.

Whether you are shooting from a high seat, stalking or on a driven hunt – the new Fortis 6 riflescopes are high-performance and robust all-rounders, featuring all the elements of the Leica tradition: they combine the puristic riflescope design with high optical imaging performance, setting a new milestone in optical engineering in the 6x zoom class.

Their technical sophistication in every detail guarantees absolute reliability even after years of use and underlines the values that Leica has represented for more than 100 years: product design focusing on essentials as well as mechanical and optical masterpieces of premium quality. Models: Leica Fortis 6 1–6x24 i, 2–12x50 i and 2.5–15x56 i.

Fortis 6 reticle.

Approved in the field.


Leica reticle L-4a with illuminated dot

Crosshair thickness: 0.2in/0.5 cm

Distance between posts: 55in/140 cm

Dot diameter: 0.6 in/1.5 cm

Application: universal reticle for precision shooting



Readings at 10x magnification at 100 m. All coverage dimensions for Leica Fortis 6 reticle can be found at the Leica Homepage: www.leica-sportoptics.com

Fortis 6 1-6x24i

NEW!



Extremely fast target acquisition thanks to extra large exit pupil.

Precision in its best form.

When hunting running game the excellent optics of the Fortis 6 1-6x24i are a decisive factor for a successful hunt.

The superior, wide field of view offers the decisive advantage, when fast target acquisition and hunting overview are required. At 1x magnification, which facilitates shooting with both eyes open, the Fortis 6 1-6x24i with 44 m field of view at a distance of 100 m is un-paralleled in its leading position. The very large exit pupil provides a better ease of view, and the special eyepiece design prevents the usual shading of the image at the edges.

The benefits at a glance

- practice-oriented design and performance
- extra large field of view at all magnifications
- intuitive target acquisition thanks to large exit pupil
- fine 4x reticle and clear, round illuminated dot for low degree of target coverage

Fortis 6 2-12x50i

NEW!



Perfect all-rounder for every type of hunting.

Design meets optical performance.

The puristic design of the Fortis 6 2-12x50i is especially attractive for hunters, who value timeless understatement with unparalleled optical perfection.

The excellent detail recognition, the large field of view as well as the unique image sharpness provide great observation comfort until the last minute. The large adjustment range of the magnification allows flexible, versatile use and guarantees its premium position in the 6x magnification class. The robust construction makes the Leica Fortis 6 resistant to impacts and falls and guarantees functional reliability in every hunting situation, be it stalking, driven hunts or from high seats.

The benefits at a glance

- excellent detail recognition and unique image sharpness
- 6x zoom for flexible, versatile hunting possibilities
- puristic design and robust construction
- larger magnification range

Fortis 6 2.5–15x56 i.

+

+

NEW!



Excellent transmission
for difficult light situations.

+

+

Uncompromisingly powerful.

The perfect combination of enormous optical image performance and slim riflescope design makes the Fortis 2.5–15x56 i unique among the riflescopes with zoom 6 and 56 mm front lens diameter. Thanks to the generous adjustment range of the magnification, it is perfectly suitable for versatile use in the most diverse types of hunting. The exceptionally large fields of view combined with excellent light transmission and high-contrast image performance and sharpness allow outstanding ease of view until the last minute. In addition, the superior, large exit pupil offers even more safety when it comes to fast targeting.



The benefits at a glance

- excellent light transmission and high-contrast image performance
- 6 x zoom for flexible, versatile hunting situations
- slim riflescope design
- extra large magnification range
- rugged and resilient



ER 6.5–26 x 56 LRS.




The long-range specialist.

Precise and reliable.


Extreme in every way – this is the ER 6.5–26 x 56 LRS. With its high magnification range, this riflescope is perfect for ambitious shots at long distances. No detail has been overlooked: high light transmission, high contrast and minimal color fringing were the requirements during optics development. The result: the best optical quality for maximum contrast and at high magnifications over long distances. Extremely fine-tuned elevation tracking allows you precise sighting in and point of impact setting – especially for long-range shots. The large eye relief gives you the necessary safety when using common long-range calibers.

ER 56 LRS reticles.




Leica reticle L-4a without illuminated dot

Crosshair thickness: 0.2 in/0.5 cm
Distance between posts: 55 in/140 cm
Application: classic 4a reticle with reduced crosshair thickness for optimal target detectability at long distances



Leica reticle L-Ballistic without illuminated dot

Crosshair thickness: 0.2 in/0.5 cm
Distance between posts: 63 in/160 cm
Distance between vertical guidelines: 3.9 in/10 cm
Application: classic ballistic reticle for common hunting calibers as .308 or .30-06 Sp.



Leica reticle Magnum Ballistic without illuminated dot

Crosshair thickness: 0.2 in/0.5 cm
Distance between posts: 63 in/160 cm
Distance between and vertical guidelines: 2 in/5 cm
Application: ballistic reticle for aerodynamic, strong calibers as .300 WinMag or .338 Lapua Mag

Readings at 10x magnification at 100 m. All coverage dimensions for Leica ER LRS 56 reticles can be found at www.leica-sportoptics.com



The benefits at a glance

- optimized for long-range applications
- fine-tuned elevation tracking (0.2 in/click / 109 yds) for precise sighting in and point of impact setting
- outstanding optics, high contrast and high light transmission
- slim, classic design with large attachment surface
- parallax compensation 55 yds/50 m to infinity



Alexander Cornelius, Deputy Head of Optics Manufacturing

“As an experienced and successful marksman in hunting competitions, I know just what I need: high magnifications with an absolutely clear, high-contrast image, along with 100% reliable mechanics. The ER LRS was developed to suit these requirements perfectly.”

Tempus ASPH. 2.0 and 3.5

Red-dot sight.

+



+

+

Identify safely,
hit quickly.

The red-dot sight Tempus ASPH. by Leica brings flexibility and speed to the hunt on running game. Particularly on driven hunts, speed, precision and safety are a must. Leica design its red-dot sight with an aspheric lens that ensures an even sharper and more brilliant illuminated dot, extremely high image quality and outstanding viewing comfort. The clear, crisp illuminated dot lets you acquire a target with significantly greater speed and precision, in any hunting situation. The shot sits at the illuminated dot, independent of the angle when aiming rapidly. This is guaranteed by the sight's brilliant imaging performance. True-to-life colors and superior light transmission provide a very clear, high-contrast image that maximizes comfort and safety when hunting running game. Depending on preference and purpose, you can choose between two spot sizes 2.0 MOA and 3.5 MOA.



The benefits at a glance

- high-end sight for driven hunts, offering maximum flexibility, safety and speed when game is running
- premium design with aspherical optics for a crisp, brilliant illuminated dot, outstanding viewing comfort and high-contrast images
- sleek, lightweight and rugged product design – milled from a single piece of aluminum
- two models: Tempus ASPH. 2.0 MOA, Tempus ASPH. 3.5 MOA



Tempus ASPH. 2.0



Tempus ASPH. 3.5

Two versions:
Tempus ASPH. 2.0 MOA: lower target coverage
Tempus ASPH. 3.5 MOA: larger visibility of the target point

Accessories.

For riflescopes.



Riflescope cover

Thanks to a specially tailored design, the new neoprene protective cover almost completely encases the riflescope to provide optimum protection. Made of wind-proof and weatherproof neoprene, the outer skin of the cover is particularly elastic and is extremely easy to attach and remove. An ingeniously integrated small loop makes the cover extremely easy to use, even when wearing gloves. The cover is available in four different sizes and colors. All Leica Sport Optics neoprene products are made in Germany in collaboration with Niggeloh, the manufacturer of premium hunting equipment with an outstanding reputation for exceptional quality.

Sizes

XL/56 mm
L/50 mm
M/42 mm
S/24 mm



Pitch black



Juicy orange



Chocolate brown



Olive green



Extra battery container for Magnus i and Fortis 6

The difference is in the details: With this smart extra battery container, you always have a second battery at your fingertips. The convenient rubber snap button makes removing the battery very easy. This applies to the approved Leica Magnusi riflescope series as well as to the Fortis 6 models.



Sizes

24 mm
42 mm
50 mm
56 mm

Flip Caps

The new, innovative Leica flip caps easily thread onto the objective of your Leica riflescope to protect it against dirt and damage – quickly and reliably. Designed and developed by Leica, the high-quality flip caps are milled from aluminum, making them extremely robust. Their elegant surface is perfectly matched to the Leica Magnusi and Leica Fortis 6. That is how they become an indispensable supplement to any Leica hunting equipment.

Rangefinders.




25 years ...

Leica has been the pioneer in rangefinding technology. Thanks to our decades of experience and comprehensive expertise – and over 300,000 laser rangefinders sold – we can proudly assert our unrivalled market leadership in the premium hunting segment.


In 2013, we revolutionized rangefinding for hunting purposes with the Geovid HD-B 42. It offers the perfect combination of observation and rangefinding with several features: The innovative, patented Perger-Porro prism system gives flawless imaging performance. The bridge's ergonomic construction ensures fatigue-free viewing. An integrated, multifunctional ballistic computer with microSD card slot allows the capture of ballistics data, and air-pressure and temperature sensors ensure maximum precision. In 2015 the family of Geovid HD-B 42 models was expanded to include the Geovid HD-R (Type 402/403/500). By limiting the EHR (equivalent horizontal range), they provide maximum safety and precision with ease of use.

And in 2016, the Geovid 8 x 56 HD-B/HD-R was launched: Leica's brightest and most compact rangefinder binocular ever. With the Rangemaster CRF 2700-B, then Leica introduced the first compact rangefinder with unique microSD card slot for individual ballistics data. In 2018 the Geovid 3000 B sets new standards in terms of precision, measuring distance and optical performance. And in 2019 Leica once more supports its strong position as a pioneer in rangefinding: with the first compact Rangemaster 2800.COM with Bluetooth® connectivity.



Julian Burczyk, Product Manager Rangefinding

"The Rangemaster CRF 2800.COM is the first step into a new world of sport optics. Thanks to the Bluetooth® connection with a smartphone, the operation of the ballistic rangefinder is simply designed and reaches maximum intuition. In combination with new ballistic possibilities every user finds his or her perfect companion."



Three good reasons for the Magnus i.

1. Extremely wide field of view W-FOV

With maximum vision and extremely large over-view, the outstanding field of view at 1 x magnification ensures considerably more safety and success when hunting.



2. Enlarged exit pupil L-EP

The special eyepiece design of the Leica rifle-scopes offers an exit pupil that is up to 50% larger at 1 x magnification and provides a considerably better ease of view than comparable riflescopes of its class.



3. Fine illuminated dot

The fine and high-contrast illuminated dot ensures that you can always focus clearly on your target without being distracted by radiant light.



Magnus i and Geovid HD-B 3000. The perfect combination.

Highest precision and maximum reliability for perfect target identification from dawn to the last shooting light.



Three good reasons for the Geovid HD-B 3000.

1. Fast, precise laser measuring

The powerful laser rangefinder offers an extremely short measuring time of 0.3 seconds or less, at enormous distances of up to 2,750 m / 3,000 yds. The fast scan mode of 0.5 seconds allows comfortable, safe scanning of running game.




2. Ballistics without programming

For every rifle/load, choose the preferred output format once and download your data on a microSD card. In the future, simply change your microSD card according to your individual ammunition load. A new setting or programming is no longer necessary. You can start right away.



3. Precise ABC® ballistics

The ballistic readings can be output in three formats: holdover, click adjustment and equivalent horizontal range. Air pressure, temperature and angle are included in the measurements and calculate the correct point of aim with the highest precision.



Leica Ballistics Programme.

The revised Leica ballistics programme calculates the trajectory for almost every ammunition taking into account sighting-in distance, height of the line of sight, temperature and altitude. Users can import their data into the Geovid HD-B via microSD memory card and receive their individual ballistic information everywhere and anytime at the push of a button.



<http://ballistictool.leica-camera.com>

Geovid HD-B 3000.

With ABC® ballistics system.




Highest precision and maximum reliability thanks to a unique ballistic system..

The unequaled Pioneer.

The Geovid HD-B models once again prove their leading role among binocular rangefinders and can reach up to 3,000 yards (2,750 meters) thanks to the powerful laser rangefinder. Their combination of ABC® ballistics, optical quality and ergonomic design is unparalleled worldwide.

The ballistic readings can be output in three formats: holdover, click adjustment and equivalent horizontal range. Air pressure, temperature and angle are included in the measurements and calculate the correct point of aim with the highest precision. Using a microSD card and the Leica ballistic calculator, individual ballistic data can be fed into the Geovid, resulting in perfectly matched measurement data for the charge and the calibre. Without reprogramming, the once-created ballistic data can be stored for future use on a microSD card and applied individually depending upon the hunting situation and selected charge – it doesn't get faster or more precise. Determining the right point of aim with the Geovid HD-B 3000 is easier, safer and more accurate than ever before.



The benefits at a glance

- ultrafast scan mode: measuring result every 0.5 seconds – ideal for running game
- extremely precise measurement in decimal figures up to a distance of 200 m/200 yds
- new, illuminated LED display with automatic brightness adjustment and enhanced symbols
- microSD card enhances accuracy due to individualized, real ballistic data



Geovid 8 x 42
HD-B 3000

- bright and powerful
- compact and low weight
- wide field of view



Geovid 10 x 42
HD-B 3000

- detailed viewing
- compact and low weight
- wide field of view



Geovid 8 x 56
HD-B 3000

- clear, bright image into the twilight hours
- compact
- wide field of view

Leica's ABC® ballistics system.

Three display variants for the precise shot.

Measurement includes barometric pressure, temperature and angle.



Reticle
click-adjustment



Holdover correction
in cm or inches



True,
ballistic range

Geovid HD-R 2700.

With equivalent horizontal range (EHR).



Precise, intuitive,
ergonomic.

For moments when precision is crucial.

The Geovid HD-R 2700 models, like the Geovid HD-B family, combine ergonomic design and razor-sharp, high-contrast images, along with reliable rangefinding technology.

Easy, intuitive operation is guaranteed: equivalent horizontal range (EHR) output requires no pre-programming. In mountainous terrain, EHR gives you greater safety and flexibility. Leica's own algorithm takes into account not only the linear distance and angle but also a realistic ballistic trajectory, making it much more accurate than the cosine function known as the Rifleman's Rule. The result is a highly precise calculation of the EHR at a ballistic function range of 1,200yds/1,100m.



The benefits at a glance

- Open Ergonomic Bridge for a natural hold and intuitive operation
- integrated laser rangefinder with a range of 2,200yds/2,000 m
- output of linear and equivalent horizontal distance (EHR) of 2,700yds/2,500 m; displayed at the push of a button
- air-pressure and temperature sensors for increased precision



Geovid 8 x 42
HD-R 2700

- 8 x magnification for particularly steady viewing
- reliable observation and measuring, well into dusk
- generous field of view



Geovid 10 x 42
HD-R 2700

- 10 x magnification enables detailed viewing and identification of game
- precise measurements, even over longer distances
- generous field of view



Geovid 8 x 56
HD-R 2700

- Leica's brightest rangefinding binoculars, thanks to 56 mm lens
- extremely compact, with patented Open Ergonomic Bridge
- generous field of view

Precise measuring with relevant shooting distance (EHR = Equivalent Horizontal range).



A = linear distance / line of sight (e.g. 374 m)
 α = angle of inclination (e.g. 35 °)
B = EHR, relevant shooting distance (e.g. 374 m at 35 ° = 322 m)

At angle shots within a range of 10 to 1,100 metres the ballistic function (EHR) calculates the relevant shooting distance from the hunter to the targeted animal. Along with linear distance and angle, the algorithm developed by Leica always takes into account a realistic ballistic curve. It also includes barometric pressure and temperature – for fast, precise and easy calculation of the right point of aim in the mountains.

Geovid R.

With equivalent horizontal range (EHR).




Easy to use, precise measurements,
always ready for all occasions.

Reduced to maximum efficiency.

Binoculars and rangefinder – united in one product: Focusing on a handful of essential features makes the Geovid R models affordable for all who haven't chosen a pair of rangefinding binoculars. And yet, the Geovid-R offers everything a hunter needs!

The measurement range of 1,200 yds/1,100 m is sufficient for most hunts. The basic Equivalent Horizontal Range (EHR) ballistics function is included, giving you a significantly greater certainty of an ethically placed shot – uphill or down. Whether over longer distances or in low-light – the Geovid R models help you clearly detect and identify game at any time. They combine optimum optics and proven laser technology with a perfected mechanics concept. It's easy to see why these are the ideal binoculars for entering the Leica Geovid world.



The benefits at a glance

- integrated laser rangefinder with a range of 1,200 yds/1,100 m
- output of linear distance and equivalent horizontal distance (EHR) up to 1,200 yds/1,100 m
- fast measurements
- compact, lightweight and comfortable to hold
- very simple operation: no pre-setting or pre-programming necessary



Geovid 8 x 42 R

- 8x magnification for particularly steady viewing
- reliable observation and measuring, well into dusk
- generous field of view



Geovid 10 x 42 R

- 10x magnification for reliable identification of game
- precise measurements, even over longer distances
- generous field of view



Geovid 8 x 56 R

- specially developed for shooting from blinds
- exceptionally bright thanks to 56 mm lens
- 8x magnification for particularly steady viewing
- generous field of view



Geovid 15 x 56 R

- tailored to the needs of bench-rest and long-range shooters
- 15x magnification for maximum detail recognition
- generous field of view

Rangemaster 2800.COM

Fast connection, simple measuring.

NEW!




The first Leica rangefinder with Bluetooth® and a wide range of ballistic functions.

Fast and simple. The new freedom in ballistics.

No matter where and at which distance: The Rangemaster 2800.COM offers you new and totally boundless freedom in ballistic rangefinding. The unique combination of Bluetooth® connectivity, precise distance measurement, full ballistic functionality, exceptional optical quality in compact design offers maximum precision and certainty in ballistic distance measurement.

The configuration of the individual ballistic profile via the Leica Hunting App is simple and comfortable. Via Bluetooth® the Rangemaster 2800.COM gets the individual ballistic data, and factoring in temperature, barometric pressure and angle, it calculates the precise ballistic distance in the desired output format: EHR (Equivalent Horizontal Range), Click or Holdover. In addition, direction and speed of the wind are factored into the calculation, when you connect the weather station "Kestrel Elite" with your smartphone via Bluetooth®.




The benefits at a glance

- simple handling and versatile connectivity via the Leica Hunting App
- Leica ABC® ballistic system for maximum precision
- three output formats: EHR, Click or Holdover
- precise laser distance measurement up to 2,800 yds/2,600 m in only 0.3 s
- light weight, compact size and high-performance thanks to Leica optical systems




Easy to use and flexible. Overview of functions.



Upload the Leica Hunting App to your smartphone now and enjoy all the advantages of comprehensive ballistic distance measuring – uphill and downhill.



Pick the appropriate charge for your weapon in the Leica Hunting App and configure your own custom ballistic profile.



In fractions of a second, the Rangemaster 2800.COM delivers the precise ballistic distance and holdover correction in one of the three output formats: EHR, Click, Holdover.



Barometric pressure, temperature and angle are factored into the calculation to ensure exact and reproducible measuring results.



Leica Hunting App.

Fast connection, simple measuring.

+



+

NEW!

Precise results and
maximum performance.

+

+

The perfect App for the ethical shot.

The new Leica Hunting App runs on the basis of Android as well as iOS. Just download from the Google Play Store or the App Store, in order to configure your custom ballistic settings simply on your smartphone.

Via Bluetooth® you can connect your Rangemaster 2800.COM with your smartphone and transfer your personalized ballistic data to the Rangemaster. You can either choose one of the twelve different standardized EU curves, or generate your own personalized ballistic profile with the help of the Leica online ballistic calculator.

In combination with the Rangemaster 2800.COM the Leica Hunting App offers you new precision and certainty in ballistic distance measurement.



Rangemaster CRF 2800.COM and Leica Hunting App.

Ease of use, flexible connectivity
and maximum precision.



Rangemaster CRF 2700-B.

With ABC® ballistics system.



The Rangemaster – Master of its class.

Its impressive reach of 2,500 m/2,700 yds and its high-precision laser at close range make the new Leica Rangemaster 2700-B invincible.

For the first time, a compact laser rangefinder is equipped with a microSD card slot for custom ballistics data. The data generated once per calibration and caliber via the Leica Ballistics Calculator is stored on a microSD card and can be downloaded to the CRF 2700-B as required – no re-programming necessary. The new, next generation LED display shows measurement data even more precisely: in decimal numbers, at a glance. And the ultra-rapid scan mode of less than 0.5 seconds, combined with its extra-compact dimensions, makes the Leica Rangemaster CRF 2700-B a truly expert all-rounder.

Rangemaster CRF 2400-R.

With equivalent horizontal range (EHR).



Compact and intuitive operation, precise measurements in mountainous terrain.

Safe measurements – uphill or down.

Flexible, easy to handle, and with basic ballistics functionality – the CRF 2400-R is the best entry-level model for those who value reliable results on rough terrain.

When your target is uphill or downhill from your position, it's essential to ensure that distance measurements are corrected accurately. The CRF 2400-R precisely measures both linear distance and horizontal distance. With remarkable accuracy and versatility, the equivalent horizontal range (EHR) can be calculated from 10 to 1,200 yds/1,100 m. A single press of a button displays the distance to target and the equivalent horizontal range; the unit of measurement can be changed as easily.



The benefits at a glance

- enormous range: 2,700 yds/2,500 m
- truly unique: microSD card slot for custom ballistics data
- consideration of angle, temperature and air pressure
- ultra-rapid scan mode
- extremely precise measurement: displays decimal values



The benefits at a glance

- ideal starter model with integrated equivalent horizontal range (EHR) from 10 to 1,200 yds/1,100 m
- absolutely precise distance measurement up to 2,000 yds/2,400 m
- brilliant, clear high-contrast image, even in twilight
- clear, readable LED display with automatic brightness control

Binoculars and spotting scopes.



For 110 years ...

... we have designed and constructed optical instruments that meet the very highest standards. Leica has always been a trailblazer in the world of binoculars. The very first series production binoculars, the Binocle 6x18 made by Leica in 1907 is still considered a game-changer. The wide-angle binoculars developed 50 years later, the Amplivid 6x24, are considered a real collector's item.

Other important innovations are the robust Trinovid and the Geovid, the first binoculars with a built-in laser range finder. And, with identical optical quality, the APO-Televid spotting scopes became global market leaders for terrestrial observation. In 2007, Leica launched a new generation of optical long-range viewing products and instruments. With their fluoride lenses, the high-end Ultravid HD binoculars represent the pinnacle of optical performance. Today, Leica presents a new generation of the Ultravid HD: the Ultravid HD-Plus. Thanks to an optimized tempering process, an improved optical system and the use of Schott HT™ glass, the light transmission has been significantly increased – for a brighter image, and improved color rendition and contrast. The new Trinovid HD 42 binoculars with Leica HD optics offer ideal and previously unattained viewing quality on tours around the world.

With the new Noctivid in 2016, the best binoculars Leica has ever made, you are now able to discover a perfect equilibrium of clearly-defined, pin-sharp contours, exceptional contrast and unrivalled brilliance. Bring distant worlds to your eyes – and see them in a way you have never experienced before.



Stephan Albrecht,
Director Leica Sport Optics

"Unlike any other binoculars the Noctivid combines detailed and high-contrast images, high light-transmission and innovative design reaching this complete perfection. Astonishing image plasticity allows overwhelming viewing experiences."



Noctivid 42.

+

+



High-contrast,
brilliant and razor-sharp:
the perfect balance.


+

+

A century of knowledge has come to life.

Today, more than a century of experience and expertise in the development of optical devices for long-distance observation, microscopes and cameras has been brought together in a new generation of Leica binoculars – the Noctivid family. The milestones are set by the mechanical construction and optical systems of this new family of Leica binoculars. In the case of its optical qualities, the Noctivid unites the best of all the most innovative and proven technologies at our disposal.

The Schott HT™ (High Transmission) glasses ensure the amazingly natural color rendition and exceptional transmission values of the Noctivid line. Extremely complex and innovative baffle systems for the suppression of stray light guarantee sharp contrast and an absolute brilliant images to the edges. Applicable in almost every situation, these binoculars set also new design standards: Not only compact in size, stylish and elegant, but also unbelievably robust and resilient.



The benefits at a glance

- images of incredible depth and plasticity
- perfectly harmonized combination of light transmission, stray light suppression and levels of contrast
- large oculars and long eye-relief distance of 19 mm for overwhelmingly fast impressions and comfortable viewing



Also available in green.



Noctivid 8x42

- high light-gathering power, bright viewing image late into the twilight hours, thanks to a large exit pupil and best contrast performance
- steadiest viewing image, thanks to large fields of view and perfect ergonomics
- natural viewing impression, by ideal color-neutrality



Noctivid 10x42

- 10x magnification for optimum recognition of details
- outstanding stray light suppression and high contrast
- viewing of finest structures under even the most unfavourable conditions

Ultravid HD-Plus.



Ultravid 8 x 32 /
10 x 32 HD-Plus

Ultravid 7 x 42 / 8 x 42 /
10 x 42 HD-Plus

Ultravid 8 x 50 / 10 x 50 /
12 x 50 HD-Plus

Versatile, bright and high-contrast.

The binoculars of the Ultravid HD-Plus serie are ideal all-rounders. All Plus models utilize special Schott glass with extraordinary transmission levels (Schott HT™ glass) for the binocular prisms. Additionally, the optical performance of the light transmission, especially in the blueviolet spectrum, has been significantly improved. This means not only brighter images, but also improved color rendition and improved visibility during twilight.


Compact.



Ultravid 8 x 20 BR

Ultravid 10 x 25 BR

The Ultravid compact models are also available with classically elegant black leather trim.



The benefits at a glance

- premium Leica optics for high-contrast images and superior color fidelity
- high-contrast viewing even in unfavorable visibility

Trinovid HD.



Trinovid 8 x 32 /
10 x 32 HD

Trinovid 8 x 42 /
10 x 42 HD

Rugged and dependable, immediately at hand.

The Trinovid HD boasts high optical performance and is also extremely rugged. Thanks to reliable Leica optics, the Trinovid HD offers exceptional contrast, brilliant colour fidelity and optimum light transmission. It's full rubber armoring ensures a non-slip, secure grip and makes these models even more robust. The Trinovid HD reliably master all hunting challenges.

Compact.



Trinovid 8 x 20 BCA

Trinovid 10 x 25 BCA



The benefits at a glance

- HD-Plus optics for optimum brightness and high color fidelity
- compact construction – lightweight and perfectly balanced
- Trinovid HD: waterproof to 13 ft / 4 m, ensures protection of internal optical systems

Duovid.



Duovid 8 + 12x42

Duovid 10 + 15x50

One-of-a-kind flexibility.

For broad scanning or detailed observation, over long distances or in low-light situations – the Duovid models are always at the ready.

Equipped with two magnifications, these unique binoculars provide exceptional flexibility. No other premium glass offers this advantage. Switch between levels of magnification with just two easy movements. Once set, the diopter value is maintained – thanks to the automatic diopter compensation function ADC®. The ergonomic eye cups with two click-stops offer the best in viewing comfort, even for users wearing glasses.

Monovid.



Monovid Black

Monovid Silverline


Elegant design, outstanding optics.

The Monovid 8 x 20 always at the ready. Your take-anywhere companion lets you keep an eye on everything and detect even the finest details.

The Monovid 8 x 20 models are lightweight, handy and fits inside any jacket pocket without attracting attention. Thanks to the included close-up accessory lens, objects as close as 10–12 in (25–30 cm) can be viewed in great detail. Simply twist the accessory lens onto the objective lens. You'll be astounded by the high quality, the 8x magnification and the elegant design.


Accessories.

Carrying strap and leather case



The benefits at a glance

- two magnifications in one glass
- Automatic Diopter Compensation ADC®
- exceptional image quality in all viewing situations
- protective aluminum housing, rubber armoring for a secure grip



The benefits at a glance

- brilliant, high-contrast, razor-sharp images
- versatile, convenient, and rugged
- weighs just 4 oz./112g
- close-up lens enables macro effect
- nitrogen filling prevents internal fogging
- water and dirt repellent AquaDura® coating
- waterproof to 15.5 ft/5m

APO-Televid.



APO-Televid 82 W



APO-Televid 65



Powerful and high-contrast.

Leica APO-Televid spotting scopes feature apochromatic lenses and use sophisticated fluoride glass for perfect imaging performance. What's more, the inner optics are protected by an additional, optically neutral front lens glass. In the APO Televid 82 (available in a straight or angled version), an exceptionally bright 82 mm objective delivers extremely rich images. Astounding details are visible even under the most unfavorable viewing conditions. The APO-Televid is predestined for professional digiscoping.

The more compact APO Televid 65 straight or angled spotting scope is the ideal companion for long, demanding treks and exhausting alpine ascents.

Eyepiece, extender and digiscoping lens.



Eyepiece 25x-50xWW ASPH.



Digiscoping lens (35 mm)



Extender 1.8 x

Outstanding field of view at all magnifications.

Eyepiece 25 x-50 xWW ASPH.


With the wide-angle eyepiece and the APO-Televid spotting scope the widest fields of view are achieved at each magnification, for breathtaking and unclouded natural spectacles.

Extender 1.8 x

For all Leica APO-Televid angled spotting scopes, the Leica Extender 1.8 x, together with the Leica eyepiece, enables magnifications of up to 90 x.

Digiscoping lens (35 mm)

The digiscoping objective lens is universally applicable for cameras with interchangeable lenses. Thanks to the T2 thread system, it offers intuitive operation and the fastest possible change between observation and photography. Despite its small dimensions, it reaches up to 4,617 mm focal length for APSC cameras in combination with the Leica APO-Televid spotting scopes.



The benefits at a glance

- modern fluoride lenses for perfect color fidelity and maximum contrast
- dual-focus system for fast, precise adjustment
- rugged and quiet, thanks to rubber-armored magnesium body
- models: APO-Televid 65, APO-Televid 65 W, APO-Televid 82, APO-Televid 82 W



Leica cameras and digiscoping.

In the premium segment, Leica offers perfectly matched components for a high-quality digiscoping system. Compact, elegant in design and intuitive to operate, the Leica cameras are absolutely uncompromising in their optical and mechanical quality. The digiscoping adapters are optimally matched to the Leica APO-Televid and Leica cameras. Their high-quality workmanship made of lightweight, sturdy materials ensures a precise and secure connection without adding to the weight of the system. Leica creates lasting value with its cameras, constantly setting new standards. Sophisticated engineering and tried and tested manufacturing lead to astonishing innovations and technical masterpieces.



Leica SL



Leica CL



Leica TL2



T2 adapter
for Leica SL/CL/TL



Leica M10



Leica M (Type 240)



T2 adapter for Leica M



Leica Q2



Digiscoping
lens (35 mm)



Adapter
for Leica Q (Type 116)

+

+



+

+



Leica X-U*



Leica V-Lux*



Leica D-Lux*



Leica Sofort*

*Not suitable for digiscoping

More information about all
Leica Cameras can be found at
www.leica-camera.com

Accessories.

For rangefinders and binoculars.



Tripod adapter for binoculars

A stable platform for your Leica binoculars is particularly helpful when viewing objects at greater distances or when you wish to focus precisely on a particular scene. The Leica tripod adapter enables simple and secure attachment of your binoculars on all standard tripods.



juicy orange

Floating carrying strap in orange

We make a floating neoprene carrying strap to make sure they don't sink if the worst happens. Their eye-catching signal orange color offers optimum protection against complete loss in situations on or near water.



Colours
pitch black
chocolate brown
juicy orange
olive green

Neoprene binocular strap

Thanks to their contoured design, the neoprene carrying straps from Leica adapt perfectly to the body and, thanks to a broad, cushioned neoprene element, also offer superior comfort when carrying binoculars. The structured, rubber-like lining guarantees ideal grip on the shoulder and prevents binoculars slipping when walking or climbing. First-class materials and high-quality finishing make the neoprene carrying straps particularly robust and hardwearing. As a further advantage, they guarantee almost silent use of binoculars.

More accessories can be found at www.leica-sportoptics.com



Colours
pitch black
chocolate brown
juicy orange
olive green

Neoprene binocular strap "Sport"

The ingeniously designed "Sport" belt allows binoculars to be carried without swinging when walking or climbing and simultaneously offers fast access to the binoculars whenever and wherever they are needed. The binoculars are automatically drawn back into the right carrying position when not in use. The neoprene material is soft, particularly comfortable on bare skin, and the belt can be adjusted to any suitable length.



Size M - for all binoculars with 32 and 42mm objective lens diameter (Except the Noctivid 42)

Size L - for all binoculars with 50 and 56 mm objective lens diameter and the Noctivid 42

Adventure strap

The Leica Adventure strap lets you rapidly access and safely stow any pair of full-size binoculars with a 42mm front lens diameter. Manufactured from rugged, weatherproof neoprene, this popular carrying system offers exceptional convenience. Thanks to its ingenious design, your binoculars are carried in comfort, yet ready the second you need them – whether in mountainous terrain or on long treks.



Rope Straps and Hand Rope Strap

Everything made for mountain climbing must be robust. In the latest collaboration between Leica and COOPH, we've taken mountaineering ropes, and created ruggedly elegant Leica binoculars straps for outdoor adventures. Made in Germany, the rope features Italian-made leather details. A stylish, yet sturdy accessory with character to transport your riflescope safely and comfortably. The Hand Rope Strap is available in a length of 50 cm in the colour Night, the Rope Straps are available as a limited edition in lengths of 100 or 126 cm in changing colours. More information can be found at www.leica-camera.com

Accessories.

For rangefinders and binoculars.



for Ultravid BR 20/25
and Trinovid BCA 20/25

Exclusive black leather case with red inner lining

Inside this high-quality, exclusive case made of black leather with a soft lining, your Leica compact binoculars are not only safe and sound – they're elegantly stowed. With shoulder strap.



Colours
brown
green

"Aneas for Leica" binocular bags in a choice of two exclusive colors

The "Aneas for Leica" binocular bags are ideal for the safe stowage and carrying of all binoculars with 42 mm objective lenses. Made in France, the elegant, particularly hardwearing, and weatherproof bags in robust, finest-quality canvas are available in a choice of brown or green. The bags are produced in collaboration with "Aneas", the French artisan workshop well known for their use of the premium materials, finest leathers, and elaborate finishing.



tussock

"Swazi for Leica" binocular beret ever-ready cover for binoculars

The extremely practical and rugged "Swazi for Leica" ever-ready cover has been created for Leica in collaboration with Swazi, the well-known outdoor equipment manufacturer from New Zealand. This rugged and weatherproof cover protects binoculars against wind, weather, moisture and dirt in any situation. The binoculars are held tight against the body by the cover when walking or climbing.



Winged eyecups for binoculars

These practical eyecups protect the eyes from direct sunlight – for long and focused viewing. When they are no longer needed, they can be simply folded over. Since they blend in perfectly with the binocular design, they are nearly invisible.

Accessories.

For spotting scopes.



for APO-Televid 65 and 82
(Cordura, black)



for APO-Televid 82 W
(neoprene, brown-black)

Ever-ready case for APO-Televid

These tough and hardwearing Cordura or neoprene ever-ready cases with shoulder straps not only keep your APO-Televid safe and sound; they also ensure that it is ready to use whenever you need it. Thanks to the cleverly designed closing system – with extra openings for the front lens, eyepiece, focusing barrel and tripod mount – your spotting scope doesn't need to be taken out of its case for viewing and can be slung over your shoulder while still mounted on a tripod.



Gitzo tripods for Leica

Gitzo tripods are the ideal choice for hunters and nature lovers who demand stability, longevity and superior materials. Choose from a wide selection of tripods which, thanks to new carbon tubes, are now even more stable, and easier to transport. Gitzo offers tripods in 3 main types: from extremely compact (Traveler), to all-purpose (Mountaineer), to top-of-the-line (Systematic). A range of ball heads complements the tripods perfectly. The 2way fluid head was developed especially for animal watching. For more details, visit www.leica-camera.com.

More accessories can be found at www.leica-sportoptics.com



Accessories.

For rangefinders.



Tripod adapter for Leica Rangemaster

Designed especially for the Leica Rangemaster and manufactured from sturdy, weatherproof aluminum, this tripod adapter gives reliable support during longer measurements. Rubber inserts protect your Rangemaster from scratches. Equipped with a tripod thread, the adapter is easy to attach to any tripod.



Colours
 pitch black
 juicy orange

Neoprene cover for Rangemaster CRF

Thanks to a specially tailored design, the neoprene cover almost completely encloses the rangefinder to provide optimum protection. Weatherproof neoprene is particularly elastic, making it very simple to attach and remove the cover. An ingeniously integrated small loop ensures easy use, even when wearing gloves. Available in the colours juicy orange and pitch black. All Leica Sport Optics neoprene products are developed in collaboration with Niggeloh, the renowned manufacturer of premium-quality hunting equipment “made in Germany”. Fits all Rangemasters and Pinmasters.



Technical data.

Technical data.

Magnus i.



Riflescope	Magnus 1–6.3 x 24 i	Magnus 1.5–10 x 42 i
Order no.	Page 86	Page 86
Packages includes	riflescope caps for front lens/eyepiece, cleaning cloth, battery, operation manual	riflescope caps for front lens/eyepiece, cleaning cloth, battery, operation manual
Field of view max./min. (100 m)	48.2–7.1 yds/ 44–6.5 m	28.4–4.5 yds/ 26–4.1 m
Exit pupil max./min.	0.49–0.15 in/ 12.4–3.8 mm	0.49–0.17 in/ 12.4–4.2 mm
Parallax free	109.4 yds/100 m	109.4 yds/100 m
Diopter compensation	–4/+3 dpt	–4/+3 dpt
Transmission	92%	92%
Available reticles	L-4a, L-3D, CDi	L-4a
Reticle illumination	dot, 120 steps	dot, 120 steps
Automatic shut-off	3 min. ± 75°	3 min. ± 75°
Automatic switch-on	activated by position and/or movement	activated by position and/or movement
Length	10.7 in/272 mm	12.5 in/317 mm
Weight without rail	19.2 oz/544 g	21.9 oz/620 g
Weight with rail	20.2 oz/570 g	22.9 oz/650 g



Riflescope	Magnus 1.8–12 x 50 i	Magnus 2.4–16 x 56 i
Order no.	Page 86	Page 86
Packages includes	riflescope caps for front lens/eyepiece, cleaning cloth, battery, operation manual	riflescope caps for front lens/eyepiece, cleaning cloth, battery, operation manual
Field of view max./min. (100 m)	24.6–4 yds/ 22.5–3.7 m	18.6–2.8 yds/ 17–2.6 m
Exit pupil max./min.	0.49–0.17 in/ 12.4–4.2 mm	0.49–0.14 in/ 12.4–3.5 mm
Parallax free	109.4 yds/100 m	adjustable, 50 m to infinity
Diopter compensation	–4/+3 dpt	–4/+3 dpt
Transmission	92%	92%
Available reticles	L-4a, L-Ballistic	L-4a, L-Ballistic
Reticle illumination	dot, 120 steps	dot, 120 steps
Automatic shut-off	3 min. ± 75°	3 min. ± 75°
Automatic switch-on	activated by position and/or movement	activated by position and/or movement
Length	13.9 in/335 mm	14.2 in/360 mm
Weight without rail	24.7 oz/700 g	27.7 oz/685 g
Weight with rail	25.6 oz/725 g	28.7 oz/815 g

More informations about reticles and coverage dimensions can be found at page 16/17.

Technical data.

Fortis 6.



NEW



NEW

Riflescope	Fortis 6 1–6 x 24 i	Fortis 6 2–12 x 50 i
Order no.	Page 87	Page 87
Packages includes	riflescope caps for front lens/eyepiece, cleaning cloth, battery, operation manual	riflescope caps for front lens/eyepiece, cleaning cloth, battery, operation manual
Field of view max./min. (100 m)	48.2–7.7 yds/ 44–7 m	22.3–3.8 yds/ 20.4–3.5 m
Exit pupil max./min.	0.49–0.16 in/ 12.4–4 mm	0.44–0.16 in/ 11.2–4.1 mm
Parallax free	109.4 yds/100 m	109.4 yds/100 m
Diopter compensation	–4/+3 dpt	–4/+3 dpt
Transmission	92%	92%
Available reticles	L-4a	L-4a
Reticle illumination	dot	dot
Automatic shut-off	3 min. ± 75°	3 min. ± 75°
Automatic switch-on	activated by position and/or movement	activated by position and/or movement
Length	10.7 in/272 mm	13.9 in/335 mm
Weight without rail	19.2 oz/544 g	24.7 oz/700 g
Weight with rail	20.2 oz/570 g	25.6 oz/725 g



NEW

Riflescope	Fortis 6 2.5–15 x 56 i
Order no.	Page 87
Packages includes	riflescope caps for front lens/eyepiece, cleaning cloth, battery, operation manual
Field of view max./min. (100 m)	18.6–3 yds/ 17–2,7 m
Exit pupil max./min.	0.45–0.15 in/ 11,4–3,7 mm
Parallax free	adjustable, 50 m to infinity
Diopter compensation	–4/+3 dpt
Transmission	92%
Available reticles	L-4a
Reticle illumination	dot
Automatic shut-off	3 min. ± 75°
Automatic switch-on	activated by position and/or movement
Length	14.2 in/360 mm
Weight without rail	27.7 oz/785 g
Weight with rail	28.7 oz/815 g

More informations about reticles and coverage dimensions can be found at page 21 and 27.

Technical data.

ER 56 LRS.



Riflescope	ER 6.5–26 x 56 LRS
Order no.	Page 87
Packages includes	riflescope caps for front lens and eyepiece, cleaning cloth, battery, operation manual
Field of view max./min. (100 m)	18–4.8 ft/5.5–1.45 m
Exit pupil max./min.	0.34–0.08 in/8.55–2.15 mm
Parallax free	adjustable, 50 m to infinity
Diopter compensation	–4/+3 dpt
Transmission	TD/TN ≥ 90%
Available reticles	4a, Standard Ballistic, Magnum Ballistic
Reticle illumination	no
Automatic shut-off	no
Automatic switch-on	no
Length	14.8 in/375 mm
Weight	26.5 oz/750 g

Technical data.

Tempus ASPH.



Red dot sight	Tempus ASPH. 3.5 MOA	Tempus ASPH. 2.0 MOA
Order no.	55 500	55 502
Package include	protection cover, optics cleaning cloth, opener for battery holder, battery, allen key for adjusting the height and lateral adjustment screw, two torx mounting screws	
Field of view max./min. (100 m)	–	–
Exit pupil max./min.	–	–
Parallax free	43.7 yds/40 m	43.7 yds/40 m
Diopter compensation	–	–
Transmission	92%	92%
Available reticles	2.0/3.5 MOA	2.0/3.5 MOA
Reticle illumination	dot, 12 steps	dot, 12 steps
Automatic shut-off	4 h	4 h
Switch on	+/- button	+/- button
Dimensions (W x H x D)	21.1 x 13.6 x 11 in/ 53.5 x 34.5 x 28 mm	21.1 x 13.6 x 11 in/ 53.5 x 34.5 x 28 mm
Weight	1.3 oz/37 g 1.4 oz/40 g incl. battery	1.3 oz/37 g 1.4 oz/40 g incl. battery

Technical data.

Geovid.



Rangefinder	Geovid 3000 HD-B	Geovid 2700 HD-R
Models	8 x 42 10 x 42 8 x 56	8 x 42 10 x 42 8 x 56
Order no.	8 x 42: 40 800 10 x 42: 40 801 8 x 56: 40 802	8 x 42: 40 803 10 x 42: 40 804 8 x 56: 40 805
Package includes	contoured neoprene carrying strap, front lens caps, eyepiece caps, cordura case, battery, microSD card	contoured neoprene carrying strap, front lens caps, eyepiece caps, cordura case, battery
Input of individual ballistic Bluetooth® /microSD card	microSD card	no
Leica Hunting App	no	no
Max. range	3,000 yds / 2,750 m	2,700 yds / 2,500 m
Displays ballistic measuring	1,200 yds / 1,100 m	no
Displays "equivalent horizontal range" (EHR)	1,200 yds / 1,100 m	1,200 yds / 1,100 m
Displays "Holdover"	875 yds / 800 m	no
Displays "click adjustment"	875 yds / 800 m	no
Barometric pressure display	yes	yes
Temperature display	yes	yes
Ballistic curves*	12 (fixed) pre-installed curves, integration of own data via microSD card	no
Field of view at 1,000 yds / m	8 x 42: 426 ft / 130 m 10 x 42: 374 ft / 114 m 8 x 56: 387 ft / 118 m	8 x 42: 426 ft / 130 m 10 x 42: 374 ft / 114 m 8 x 56: 387 ft / 118 m
Dimensions (W x H x D)	8 x 42: 4.9 x 7 x 2.8 in / 125 x 178 x 70 mm 10 x 42: 4.9 x 6.9 x 2.8 in / 125 x 174 x 70 mm 8 x 56: 6 x 7.4 x 3.6 in / 153 x 187 x 90 mm	8 x 42: 4.9 x 7 x 2.8 in / 125 x 178 x 70 mm / 10 x 42: 4.9 x 7 x 2.8 in / 125 x 174 x 70 mm 8 x 56: 6 x 7.4 x 3.6 in / 153 x 187 x 90 mm
Weight including battery	8 x 42: approx. 34.3 oz / 975 g 10 x 42: approx. 34.5 oz / 980 g 8 x 56: approx. 42.5 oz / 1,205 g	8 x 42: approx. 34.3 oz / 975 g 10 x 42: approx. 34.5 oz / 980 g 8 x 56: approx. 42.5 oz / 1,205 g



Rangefinder	Geovid R
Models	8 x 42 10 x 42 8 x 56 15 x 56
Order no.	8 x 42: 40 426 (yds) / 40 425 (m) 10 x 42: 40 428 (yds) / 40 427 (m) 8 x 56: 40 430 (yds) / 40 429 (m) 15 x 56: 40 432 (yds) / 40 431 (m)
Package includes	contoured neoprene carrying strap, front lens caps, eyepiece caps, cordura case, battery
Input of individual ballistic Bluetooth® /microSD card	no
Leica Hunting App	no
Max. range	1,200 yds / 1,100 m
Displays ballistic measuring	no
Displays "equivalent horizontal range" (EHR)	1,200 yds / 1,100 m
Displays "Holdover"	no
Displays "click adjustment"	no
Barometric pressure display	no
Temperature display	no
Ballistic curves*	yes
Field of view at 1,000 yds / m	8 x 42: 410 ft / 125 m 10 x 42: 361 ft / 110 m 8 x 56: 387 ft / 118 m 15 x 56: 246 ft / 75 m
Dimensions (W x H x D)	8 x 42: 4.9 x 6.8 x 2.8 in / 125 x 173 x 70 mm 10 x 42: 4.9 x 6.6 x 2.8 in / 125 x 168 x 70 mm 8 x 56: 5.3 x 7.2 x 2.7 in / 135 x 182 x 68 mm 15 x 56: 5.3 x 8.3 x 2.8 in / 134 x 210 x 70 mm
Weight including battery	8 x 42: approx. 33.5 oz / 950 g 10 x 42: approx. 33.3 oz / 945 g 8 x 56: approx. 38.8 oz / 1,100 g 15 x 56: approx. 45.9 oz / 1,300 g

*for informationen about the ballistic curves see p. 15

Technical data.

Rangemaster.



Rangefinder	Rangemaster CRF 2800.COM	Rangemaster CRF 2700-B
Order no.	40 506	40 545
Package includes	Cordura case, carrying strap, battery	Cordura case, carrying strap, battery
Input of individual ballistic Bluetooth®/microSD card	Bluetooth®	microSD card
Leica Hunting App	yes	no
Max. range	2,800 yds/2,600 m	2,700 yds/2,500 m
Displays ballistic measuring	875 yds/800 m	875 yds/800 m
Displays “equivalent horizontal range” (EHR)	1,200 yds/1,100 m	1,200 yds/1,100 m
Displays “Holdover”	875 yds/800 m	875 yds/800 m
Displays “click adjustment”	875 yds/800 m	875 yds/800 m
Barometric pressure display	yes	yes
Temperature display	yes	yes
Ballistic curves*	12 fixed pre-installed curves, integration of own data via Leica Hunting App	12 fixed pre-installed curves, integration of own data via microSD card
Field of view at 1,000 yds/m	347 yds/115 m	347 yds/115 m
Dimensions (W x H x D)	4.4 x 2.9 x 1.3 in/ 113 x 75 x 34 mm	4.4 x 2.9 x 1.3 in/ 113 x 75 x 34 mm
Weight without battery	approx. 6.3 oz/178 g	approx. 6.3 oz/178 g
with battery	approx. 6.6 oz/189 g	approx. 6.6 oz/189 g





Rangefinder	Rangemaster CRF 2400-R
Order no.	40 546
Package includes	Cordura case, carrying strap, battery
Input of individual ballistic Bluetooth®/microSD card	no
Leica Hunting App	no
Max. range	2,400 yds/2,200 m
Displays ballistic measuring	no
Displays “equivalent horizontal range” (EHR)	1,200 yds/1,100 m/
Displays “Holdover”	no
Displays “click adjustment”	no
Barometric pressure display	no
Temperature display	no
Ballistic curves*	no
Field of view at 1,000 yds/m	347 yds/115 m
Dimensions (W x H x D)	4.4 x 2.9 x 1.3 in/ 113 x 75 x 34 mm
Weight without battery	approx. 6.3 oz/178 g
with battery	approx. 6.6 oz/189 g

* for informationen about the ballistic curves see p. 15

Technical data.

Binoculars.

										
Binoculars	Noctivid 8 x 42	Noctivid 10 x 42	Ultravid 8 x 32 HD-Plus	Ultravid 10 x 32 HD-Plus	Ultravid 7x 42 HD-Plus	Ultravid 8 x 42 HD-Plus	Ultravid 10 x 42 HD-Plus	Ultravid 8 x 50 HD-Plus	Ultravid 10 x 50 HD-Plus	Ultravid 12 x 50 HD-Plus
Order number	40 384 (black) 40 386 (green)	40 385 (black) 40 387 (green)	40 090	40 091	40 092	40 093	40 094	40 095	40 096	40 097
Package includes	contoured Neoprene carrying strap, front lens and eyepiece caps, Cordura case					contoured Neoprene carrying strap, front lens and eyepiece caps, Cordura case				
Front lens diameter	42mm	42mm	32mm	32mm	42mm	42mm	42mm	50 mm	50 mm	50 mm
Magnification	8 x	10 x	8 x	10 x	7x	8 x	10 x	8 x	10 x	12x
Exit pupil	5.2 mm	4.2 mm	4 mm	3.2 mm	6 mm	5.2 mm	4.2 mm	6.2 mm	5 mm	4.2 mm
Field of view at 1,000 yds/m	404 ft/ 135 m	336 ft/ 112 m	404 ft/ 135 m	352 ft/ 118 m	420 ft/ 140 m	389 ft/ 130 m	336 ft/ 112 m	352 ft/ 117 m	352 ft/ 117 m	299 ft/ 100 m
Field of view for wearers with glasses	404 ft/ 135 m	336 ft/ 112 m	404 ft/ 135 m	352 ft/ 118 m	420 ft/ 140 m	389 ft/ 130 m	336 ft/ 112 m	352 ft/ 117 m	352 ft/ 117 m	299 ft/ 100 m
Exit pupil distance	0.75 in/ 19 mm	0.75 in/ 19 mm	0.52 in/ 13.3 mm	0.52 in/ 13.2 mm	0.67 in/ 17 mm	0.61 in/ 15.5 mm	0.63 in/ 16 mm	0.67 in/ 17 mm	0.59 in/ 15 mm	0.51 in/ 13 mm
Objective angle of view	7.7°	6.4°	7.7°	6.7°	8°	7.4°	6.4°	6.7°	6.7°	5.7°
Close focus range	approx. 6.2 ft/ 1.9 m	approx. 6.2 ft/ 1.9 m	approx. 7.2 ft/ 2.1 m	6.6 ft/ 2 m	approx. 10.8 ft/ 3.3 m	approx. 9.8 ft/ 3 m	approx. 9.5 ft/ 2.9 m	approx. 11.5 ft/ 3.5 m	approx. 10.8 ft/ 3.3 m	approx. 10.5 ft/ 3.2 m
Transmission	92%	91%	92%	92%	92%	92%	92%	92%	92%	92%
Diopter compensation	± 4 dpt	± 4 dpt	± 4 dpt	± 4 dpt	± 4 dpt	± 4 dpt	± 4 dpt	± 4 dpt	± 4 dpt	± 4 dpt
Adjustable eye relief	2.2–2.91 in/ 56–74 mm	2.2–2.91 in/ 56–74 mm	2.05–2.91 in/ 52–74 mm	2.05–2.91 in/ 52–74 mm	2.17–2.95 in/ 55–75 mm	2.17–2.95 in/ 55–75 mm	2.17–2.95 in/ 55–75 mm	2.28–2.91 in/ 58–74 mm	2.28–2.91 in/ 58–74 mm	2.28–2.91 in/ 58–74 mm
Coating	HDC® Plus-multicoating and AquaDura® lens coating					HDC® Plusmulticoating and AquaDura® lens coating				
Waterproof	to 16.5 ft/ 5 m	to 16.5 ft/ 5 m	to 16.5 ft/ 5 m	to 16.5 ft/ 5 m	to 16.5 ft/ 5 m	to 16.5 ft/ 5 m	to 16.5 ft/ 5 m	to 16.5 ft/ 5 m	to 16.5 ft/ 5 m	to 16.5 ft/ 5 m
Nitrogen filled	yes	yes	yes	yes	yes	yes	yes	yes	yes	yes
Measurements in inch/mm (LxHxW)	4.9x6.1x2.3 124x154x59	4.9x6.1x2.3 124x154x59	4.6x4.6x2.2 116x116x56	4.6x4.7x2.2 116x120x56	4.7x5.6x2.7 120x141x68	4.8 x 5.6 x 2.6 121 x 142 x 67	4.8 x 5.8 x 2.7 121 x 147 x 68	4.7 x 7.2 x 2.7 120 x 182 x 68	4.9 x 7 x 2.8 125 x 178 x 70	4.7 x 7.2 x 3 120 x 182 x 78
Weight	approx. 30 oz/ 853 g	approx. 30 oz/ 862 g	approx. 18.9 oz/ 535 g	approx. 19.9 oz/ 565 g	approx. 27.2 oz/ 770 g	approx. 27.9 oz/ 790 g	approx. 26.5 oz/ 750 g	approx. 35.3 oz/ 1,000 g	approx. 35.3 oz/ 1,000 g	approx. 36.7 oz/ 1,040 g

Technical data.

Binoculars.



Binoculars	Ultravid 8x20 BR/leathered black/ leathered silver	Ultravid 10x25 BR/leathered black/ leathered silver
Order number	40 252 (BR) 40 605 (leathered black) 40 606 (leathered silver)	40 253 (BR) 40 607 (leathered black) 40 608 (leathered silver)
Package includes	woven fabric carrying strap, eyepiece caps, Cordura case (BR) woven fabric carrying strap, eyepiece caps, black calf leather case (leathered black/silver)	
Front lens diameter	20 mm	25 mm
Magnification	8 x	10 x
Exit pupil	2.5 mm	2.5 mm
Field of view at 1,000 yds/m	341 ft/113 m	273 ft/90 m
Field of view for wearers with glasses	341 ft/113 m	273 ft/90 m
Exit pupil distance	0.59 in/15 mm	0.59 in/15 mm
Objective angle of view	6.47°	5.15°
Close focus range	approx. 6 ft/1.8 m	approx. 10.5 ft/3.2 m
Transmission	90 %	90 %
Diopter compensation	± 3.5 dpt	± 3.5 dpt
Adjustable eye relief	1.34–2.91 in/ 34–74 mm	1.34–2.91 in/ 34–74 mm
Coating	HDC® multicoating and AquaDura® lens coating	
Waterproof	to 16.5 ft/5 m	to 16.5 ft/5 m
Nitrogen filled	yes	yes
Measurements in inch/mm (LxHxW)	4.4 x 3.7 x 1.5 111 x 93 x 39	4.4 x 4.4 x 1.9 111 x 112 x 39
Weight	approx. 8.5 oz/240 g (BR) approx. 8.1 oz/230 g (leathered black/silver)	approx. 9.4 oz/265 g (BR) approx. 9.0 oz/255 g (leathered black/silver)



Binoculars	Leica Monovid 8 x 20	Duovid 8+ 12 x 42	Duovid 10+ 15 x 50
Order number	40 390 (Blackline) 40 650 (Silverline)	40 400	40 420
Package includes	Close focus lens, eyepiece cover, carrybag with belt loop	Neoprene carrying strap, contoured, eyepiece cover, Nappa leather case	Neoprene carrying strap, contoured, eyepiece cover, Nappa leather case, Tripod adapter
Front lens diameter	20 mm	42 mm	50 mm
Magnification	8 x	8 x/12 x	10 x/15 x
Exit pupil	2.5 mm	5.25 mm/3.5 mm	5 mm/3.3 mm
Field of view at 1,000 yds/m	361 ft/110 m	351 ft/118 m 268 ft/90 m	274 ft/92 m 208 ft/70 m
Field of view for wearers with glasses	361 ft/110 m	351 ft/118 m 268 ft/90 m	274 ft/92 m 208 ft/70 m
Exit pupil distance	0.59 in/15 mm	0.57 in/14.5 mm	0.57 in/14.5 mm
Objective angle of view	6.3°	6.7°/5.1°	5.3°/4°
Close focus range	approx. 6 ft/1.8 m (0.8–1 ft/25–30 cm with close focus lens)	approx. 11.1 ft/3.5 m	approx. 12.9 ft/3.8 m
Transmission	90 %	89 %	89 %
Diopter compensation	–	± 3 dpt	± 3 dpt
Adjustable eye relief	–	2.17–2.91 in/ 55–74 mm	2.32–2.91 in/ 59–74 mm
Coating	HDC® multicoating and AquaDura® lens coating (not at close focus lens)	HDC® multicoating and AquaDura® lens coating	
Waterproof	to 16.5 ft/5 m	to 16.5 ft/5 m	to 16.5 ft/5 m
Nitrogen filled	yes	yes	yes
Measurements in inch/mm (LxHxW)	Length: 3.85/97.9 Length with close focus: 4.13/105 lens diameter: 1.39/35.5	4.7 x 6.2 x 2.6 120 x 157 x 67	5 x 7.7 x 2.6 126 x 195 x 67
Weight	approx. 4 oz/112 g monocular approx. 0.5 oz/14 g close focus lens	approx. 37 oz/1,045 g	approx. 44 oz/1,250 g

Technical data.

Binoculars.



Binoculars	Trinovid 8 x 32 HD	Trinovid 10 x 32 HD	Trinovid 8 x 42 HD	Trinovid 10 x 42 HD	Trinovid 8 x 20 BCA	Trinovid 10 x 25 BCA
Order number	40 316	40 317	40 318	40 319	40 342	40 343
Package includes	contoured Neoprene carrying strap, front lens and eyepiece caps, cordura case			contoured Neoprene carrying strap, front lens and eyepiece caps, cordura case	carrying lanyard, cordura case with belt loop	
Front lens diameter	32mm	32mm	42mm	42mm	20 mm	25 mm
Magnification	8 x	10 x	8 x	10 x	8 x	10 x
Exit pupil	4m	3.2mm	5.25 mm	4.2mm	2.5 mm	2.5 mm
Field of view at 1,000 yds/m	372ft/124 m	342ft/114 m	372ft/124 m	340 ft/113 m	340 ft/113 m	273 ft/90 m
Field of view for wearers with glasses	372ft/124 m	342ft/114 m	372ft/124 m	340 ft/113 m	340 ft/113 m	273 ft/90 m
Exit pupil distance	0.67in/17mm	0.59in/15 mm	0.67in/17mm	0.59in/15 mm	0.55 in/14 mm	0.57in/14.6 mm
Objective angle of view	7.1 °	6.45 °	7.1 °	6.45 °	6 °	5 °
Close focus range	approx. 3.28 ft/1 m	approx. 3.28 ft/1 m	approx. 6 ft/1.8 m	approx. 5.3 ft/1.6 m	approx. 9.8 ft/3 m	approx. 16.5 ft/5 m
Transmission	90 %	90 %	90 %	90 %	87 %	87 %
Diopter compensation	± 4 dpt	± 4 dpt	± 4 dpt	± 4 dpt	± 3,5 dpt	± 3,5 dpt
Adjustable eye relief	2.28–2.99 in/58–76 mm	2.28–2.99 in/58–76 mm	2.28–2.99 in/58–76 mm	2.28–2.99 in/58–76 mm	1.26–2.91 in/32–74 mm	1.26–2.91 in/32–74 mm
Coating	HDC® multicoating and AquaDura® lens coating			HDC® multicoating and AquaDura® lens coating		
Waterproof	to 13 ft/4 m	to 13 ft/4 m	to 13 ft/4 m	to 13 ft/4 m	splash proof	splash proof
Nitrogen filled	yes	yes	yes	yes	no	no
Measurements in inch/mm (LxHxW)	4.6 x 5.1 x 2.6 117 x 130 x 65	4.6 x 5.1 x 2.6 117 x 130 x 65	4.6 x 5.5 x 2.5 117 x 140 x 65	4.6 x 5.5 x 2.5 117 x 140 x 65	3.8 x 3.6 x 1.5 96 x 92 x 37	3.6 x 4.3 x 1.5 92 x 110 x 37
Weight	approx. 22.2 oz/630 g	approx. 22.6 oz/640 g	approx. 25.8 oz/730 g	approx. 25.8 oz/730 g	approx. 8.3 oz/235 g	approx. 9.0 oz/255 g

Technical data.

APO-Televid spotting scopes.



Spotting scope	APO-Televid 65/65 W	APO-Televid 82/82 W
Model	straight view angled view (45°)	straight view angled view (45°)
Order number	40 127 (65) 40 129 (65 W)	40 119 (82) 40 121 (82 W)
Package includes	lens and bayonet caps	
Front lens diameter	65 mm	82 mm
Focal length	approx. 17.3 in/440 mm	approx. 17.3 in/440 mm
Close focus range	approx. 9.5 ft/2.9 m	approx. 12.5 ft/3.8 m
Exit pupil, twilight factor and field of view	(please refer to eyepiece table)	(please refer to eyepiece table)
Focusing	internal focusing with dual-focusing function	
Number of objective lenses (without eyepiece)	4, with multicoating and AquaDura® lens coating	
Prism system: straight viewing angled viewing (45°)	Schmidt-Pechan prism Schmidt prism	
Waterproof	to 16.5 ft/5 m	to 16.5 ft/5 m
Body	magnesium, nitrogen-filled	
Eyepiece attachment	quick-release bayonet	
Tripod mount	1/4", rotating, with locking screw	
Lens shade	retractable, with sighting aid	
Front lens filter thread	E67	E82
Measurements in inch/ mm (LxHxW)	11.8 x 4.3 x 3.3 in (65) 288 x 108 x 83 mm (65)	12.3 x 4.3 x 4.0 in (82) 313 x 108 x 101 mm (82)
	11.9 x 4.3 x 3.3 in (65 W) 302 x 108 x 83 mm (65 W)	12.9 x 4.3 x 4.0 in (82 W) 328 x 108 x 101 mm (82 W)
Weight	39.4 oz/1,115 g (65) 39.2 oz/1,110 g (65 W)	53.7 oz/1,520 g (82) 52.6 oz/1,490 g (82 W)

Technical data.

Eyepiece, extender and digiscoping.



Product	Leica Eyepiece 25 x–50 x WW ASPH.	Extender 1.8 x (only for APO- Televid angled version)	Leica Digiscoping lens 35 mm
Order number	41 021	41 022	42 308
Package includes	bayonet and eyepiece caps		Cordura objective lens case
Magnification	25 x to 50 x	45 x to 90 x	according to eye- piece combination
Focal length (35 mm format)	–	–	34,5
Field of view at 1,000 yds/m	135 ft/41 m (25 x) to 92 ft/28 m (50 x)	24 yds/21.6 m (45 x) to 15.3 yds/14 m (90 x)	–
Subjective angle of view	57° (25 x) to 74° (50 x)	53° (45 x) to 65° (90 x)	–
Image size	–	–	23.6 x 15.7 mm
Image diagonal	–	–	28.4 mm (APS-C, Leica T)
Smallest objective field	–	–	60.1 x 40.0 mm 31.6 x 21.1 mm (with ext.)
Smallest objective diagonal	–	–	72.2 mm 38.0 mm (with ext.)
Largest scale	–	–	1:2.4/1:1.3 (with ext.)
Exit pupil:			
APO-Televid 65	2.6 mm (25 x) bis 1.3 mm (50 x)	1.5 mm (45 x) bis 0.73 mm (90 x)	–
APO-Televid 82	3.3 mm (25 x) bis 1.6 mm (50 x)	1.8 mm (45 x) bis 0.91 mm (90 x)	–
Close focus range: APO-Televid 65	11.48 ft/3.5 m	11.48 ft/3.5 m	depending on spotting scope
Close focus range: APO-Televid 82	12.96 ft/3.95 m	12.47 ft/3.8 m	depending on spotting scope
Eyepiece for wearers with glasses	yes	yes	–
Eyecup with sliding sleeve	yes	yes	–
Waterproof	500 mbar	500 mbar	500 mbar
Max. external diameter	2.3 in/59.5 mm	2.3 in/59 mm	2.7 in/68 mm
Overall length	4.1 in/105 mm, without bayonet 3.4 in/87 mm	1.6 in/41 mm, without bayonet 0.9 in/23 mm	2.6 in/65 mm, without T2-Adapter
Weight	15.3 oz/435 g	3.2 oz/92 g	8.8 oz/250 g
For use	with Leica APO- Televid spotting scopes	with Leica APO- Televid angled version and Leica eyepiece 25 x–50 x WW ASPH.	with Leica APO- Televid spotting scopes, Leica eye- piece 25 x–50 x WW ASPH. and Leica extender 1.8 x



Product overview.
Status 8.2019.

Product overview.

Status 8.2019



Magnus i riflescopes	Order no.
Magnus 1–6.3 x 24 i	
Reticle	
L-3D	52 110
L-3D with rail	52 111
L-4a	52 120
L-4a with rail	52 121
CD i	52 140
CD i with rail	52 141
Magnus 1.5–10 x 42 i	
Reticle	
L-4a	53 130
L-4a with rail	53 131
L-4a with BDC	53 132
L-4a with BDC and rail	53 133
Magnus 1.8–12 x 50 i	
Reticle	
L-Ballistic	53 170
L-Ballistic with rail	53 171
L-Ballistic with BDC	53 172
L-Ballistic with BDC and rail	53 173
L-4a	53 160
L-4a with rail	53 161
L-4a with BDC	53 162
L-4a with BDC and rail	53 163
Magnus 2.4–16 x 56 i	
Reticle	
L-Ballistic	54 110
L-Ballistic with rail	54 111
L-Ballistic with BDC	54 112
L-Ballistic with BDC and rail	54 113
L-4a	54 130
L-4a with rail	54 131
L-4a with BDC	54 132
L-4a with BDC and rail	54 133



ER 56 LRS riflescopes	Order no.
ER 6.5–26 x 56 LRS	
Reticle	
4a with BDC Sport	56 080
Magnum Ballistic with BDC Sport	56 081
Ballistik with BDC Sport	56 082



Fortis 6 riflescopes	Order no.
FORTIS 6 1–6 x 24 i	
Reticle	
L-4a	50 050
L-4a with rail	50 051
FORTIS 6 2–12 x 50 i	
Reticle	
L-4a	50 060
L-4a with rail	50 061
L-4a with BDC	50 070
L-4a with BDC and rail	50 071
FORTIS 6 2.5–15 x 56 i	
Reticle	
L-4a	50 080
L-4a with rail	50 081
L-4a with BDC	50 090
L-4a with BDC and rail	50 091

Product overview.

Status 8.2019



Tempus ASPH. Red dot sight	Order no.
Tempus ASPH. 2.0 MOA	55 502
Tempus ASPH. 3.5 MOA	55 500
Accessories for riflescopes	Order no.
Riflescope cover	
Size XL/56 mm	
pitch black	59 018
chocolate brown	59 019
juicy orange	59 020
olive green	59 021
Size L/50 mm	
pitch black	59 022
chocolate brown	59 023
juicy orange	59 024
olive green	59 025
Size M/42 mm	
pitch black	59 026
chocolate brown	59 027
juicy orange	59 028
olive green	59 029
Size S/24 mm	
pitch black	59 030
chocolate brown	59 031
juicy orange	59 032
olive green	59 033
Extra battery container	
for Magnus i	59 017
for Fortis 6	59 038
Flip Caps	
for Magnus i/Fortis 6	
Lens diameter	
24 mm	59 034
42 mm	59 035
50 mm	59 036
56 mm	59 037
Equipment with Leica Rapid Reticle Adjustment BDC	
BDC Direct Dial Rings	59 015



Rangefinders	Order no.
Geovid HD-B 3000	
Geovid 8 x 42 HD-B 3000	40 800
Geovid 10 x 42 HD-B 3000	40 801
Geovid 8 x 56 HD-B 3000	40 802
Geovid HD-B 3000 edition 2019	
Geovid 8 x 42 HD-B 3000 edition 2019	40 443
Geovid 10 x 42 HD-B 3000 edition 2019	40 444
Geovid HD-R 2700	
Geovid 8 x 42 HD-R 2700	40 803
Geovid 10 x 42 HD-R 2700	40 804
Geovid 8 x 56 HD-R 2700	40 805
Geovid R	
Geovid 8 x 42 R (Metre-Version)	40 425
Geovid 8 x 42 R (Yard-Version)	40 426
Geovid 10 x 42 R (Metre-Version)	40 427
Geovid 10 x 42 R (Yard-Version)	40 428
Geovid 8 x 56 R (Metre-Version)	40 429
Geovid 8 x 56 R (Yard-Version)	40 430
Geovid 15 x 56 R (Metre-Version)	40 431
Geovid 15 x 56 R (Yard-Version)	40 432
Rangemaster	
Rangemaster CRF 2800.COM NEW	40 506
Rangemaster CRF 2700-B	40 545
Rangemaster CRF 2400-R	40 546



Pinmaster Golf	Order no.
Pinmaster II Pro white	40 539
Pinmaster II grey	40 533

Product overview.

Status 8.2019



Binoculars	Order no.
Noctivid	
Noctivid 8 x 42 black	40 384
Noctivid 8 x 42 green	40 386
Noctivid 10 x 42 black	40 385
Noctivid 10 x 42 green	40 387
Ultravid HD-Plus	
Ultravid 8 x 32 HD-Plus	40 090
Ultravid 10 x 32 HD-Plus	40 091
Ultravid 7 x 42 HD-Plus	40 092
Ultravid 8 x 42 HD-Plus	40 093
Ultravid 10 x 42 HD-Plus	40 094
Ultravid 8 x 50 HD-Plus	40 095
Ultravid 10 x 50 HD-Plus	40 096
Ultravid 12 x 50 HD-Plus	40 097
Compact binoculars Ultravid BR	
Ultravid 8 x 20 BR	40 252
Ultravid 10 x 25 BR	40 253
Compact binoculars Ultravid	
Ultravid 8 x 20 leathered black	40 605
Ultravid 8 x 20 leathered silver	40 606
Ultravid 10 x 25 leathered black	40 607
Ultravid 10 x 25 leathered silver	40 608

Binoculars	Order no.
Trinovid HD	
Trinovid 8x32 HD	40 316
Trinovid 10 x 32 HD	40 317
Trinovid 8x 42 HD	40 318
Trinovid 10 x 42 HD	40 319
Compact binoculars Trinovid BCA	
Trinovid 8 x 20 BCA	40 342
Trinovid 10 x 25 BCA	40 343
Monovid	
Monovid 8 x 20 Blackline	40 390
Monovid 8 x 20 Silverline	40 650
Duovid	
Duovid 8+12x42	40 400
Duovid 10+15 x 50	40 420

Product overview.

Status 8.2019

Accessories for rangefinders and binoculars		Order no.
Tripod adapter for binoculars		42 220
Floating carrying strap in orange		42 163
Neoprene binocular strap		
pitch black		42052
chocolate brown		42053
juicy orange		42054
olive green		42055
Neoprene binocular strap "Sport"		
pitch black		42056
chocolate brown		42057
juicy orange		42058
olive green		42059
Adventure strap		
Size M		42064
for all binoculars with 32 and 42mm objective lens diameter (Except the Noctivid 42)		
Size L		
for all binoculars with 50 and 56 mm objective lens diameter and the Noctivid 42		42066
Rope Strap		
fire	100 cm	19 586
	126 cm	19 587
glowing red	100 cm	19 588
	126 cm	19 589
night	100 cm	19 590
	126 cm	19 591
oasis	100 cm	19 592
	126 cm	19 593
blue	100 cm	19 594
	126 cm	19 595
red	100 cm	19 596
	126 cm	19 597
Hand Rope Strap		
night	50 cm	19 581
Exclusive black leather case		
for Ultravid BR 20/Trinovid BCA 20		42 323
for Ultravid BR 25/Trinovid BCA 25		42 324
Ever-ready cover for binoculars "Aneas for Leica"		
brown		42060
green		42061
Ever-ready cover for binoculars "Swazi for Leica" tussock		96 450
Winged eyecups		42006
for Geovid HD-B and Geovid HD-R models		
Winged eyecups set		42067
for Noctivid (with eyepiece caps)		

Tripod adapter for Rangemaster	42 232
Neoprene cover for Rangemaster CRF	
juicy orange	42 235
pitch black	42 333



APO-Televid spotting scopes and accessories	Order no.
APO-Televid 65	
Straight view, without eyepiece	40 127
APO-Televid 65 W	
Angled view (45°), without eyepiece	40 129
APO-Televid 82	
Straight view, without eyepiece	40 119
APO-Televid 82 W	
Angled view (45°), without eyepiece	40 121
Eyepiece 25 x-50 xWW ASPH.	
	41 021
Extender 1.8	
	41 022
Closer to nature package	
APO-Televid 82 angled sight (45°), Eyepiece 25 x-50 xWW ASPH., Extender 1.8 x, Gitzo Mountaineer Tripod and Gitzo 2-way fluid head	
	40 139
Spotting scope cover APO-Televid 82 W	
neopren, brown	42070
Every-ready case	
for APO-Televid 65	42 312
for APO-Televid 82	42 314
Cameras for digiscoping	
Leica SL (Typ 601)	10 850
Leica M10 (black / silver chrome)	20 000 / 20 001
Leica M (Typ 240) (black anodized / silver chrome)	10 770 / 10 771
Leica Q (black / silver anodized)	19 000 / 19 022
Leica CL (black anodized)	19 301
Leica TL2 (black / silver anodized)	18 187 / 18 188
Digiscoping lens (35 mm)	
	42 308
T2 adapter for Leica M	
	42 334
T2 adapter for Leica SL / CL / TL	
	42 335
Adapter for Q (Typ 116)	
	42 337

Warranty and repairs.

Binoculars 10 years

Geovid Optics 5 years | **Electronics** 2 years

Rangemaster | **Pinmaster** 2 years

Eyepiece 10 years

Spotting scope 10 years

Riflescope Optics 10 years | **Electronics** 2 years

The specified warranty periods only apply to current new and unused products of the present product range in this price list. For more details of the warranty regulations, please note the warranty explanations on the warranty card.

To obtain warranty service authorization of Leica Camera AG, the customer must submit proof of purchase together with the warranty card with purchase date, signature and original dealer stamp of an authorized Leica dealer to Leica Camera AG.

If repair service is required please contact:

Leica - Aparelhos Ópticos de Precisão

S.A. Customer Care

Rua da Leica, 55

4760-810 LOUSADO

Portugal

Phone: +49(0)6441-2080-898

E-mail: customer.care.sportoptics@leica-camera.com

For more information and repair instructions, please visit:

uk.leica-camera.com/Service-Support/Repair-Maintenance



© 2019 Leica Camera AG

We reserve the right to make modifications to the construction, features, ranges and recommended retail price without prior notice.

Valid from 08.2019 | Distribution only by authorized Leica dealers |

Materials and colors may differ from those shown in printed illustrations.

Paper from environmentally responsible sources.

Order-No.: 90 118 German with prices | 90 135 German | **90 119 English (UK)** | 90 120 French | 90 121 Italian | 90 122 Spanish | 90 123 Swedish



CUSTOMER CARE



PERSONAL SERVICE

Only people can help people.

You can reach Leica Customer Care Germany 24 hours a day and 7 days a week. We would be pleased to implement any personalisation ideas you may have for your Leica products, even after you purchased them. Just ask us – we will be pleased to help in any way we can.

LEICA REPAIR SUPPORT

If your Leica Sport Optics product is in need of maintenance or repair, please get in touch with us here:

Phone +49(0)6441-2080-898

customer.care.sportoptics@leica-camera.com

LEICA PRODUCT SUPPORT

If you need advice about one of our products, please get in touch with us here:

Phone +49(0)6441-2080-111 | info@leica-camera.com

LEICA SOFTWARE SUPPORT

If you need our help with the software supplied with your Leica product, please get in touch with us here:

Phone +49(0)6441-2080-108 | software-support@leica-camera.com

LEICA ACCESSORIES SERVICE

If you have lost your remote release or need a different focusing screen, please get in touch with us here:

Phone +49(0)6441-2080-229 | spareparts@leica-camera.com



Leica Camera AG | Am Leitz-Park 5

35578 WETZLAR | GERMANY

Phone +49(0)6441-2080-0 | Fax +49(0)6441-2080-333

www.leica-sportoptics.com